Author index

Allen, S.A., see Vincent III, W.S. (1049) 59
Amalric, F., see Meyuhas, O. (1049) 38
Amuro, N., Goto, Y. and Okazaki, T.
Isolation and characterization of the two distinct genes for human glutamate dehydrogenase (1049) 216
Andersson, T., see Olsson, P.-E. (1049) 78

Backman, T., see Mertz, P.M. (1049) 272
Baldin, V., see Meyuhas, O. (1049) 38
Barciszewska, M.Z., Mashkova, T.D. and Barciszewski, J.
The primary structure of lupin seed 5.8 S ribosomal RNA (1049) 343
Barciszewski, J., see Barciszewska, M.Z. (1049) 343
Bernards, A., see Mertz, P.M. (1049) 272
Billadello, J.J., see Trask, R.V. (1049) 182
Bouche, G., see Meyuhas, O. (1049) 38
Brown, W.V., see Oka, K. (1049) 21
Bunni, L., see Morrison, J. (1049) 27
Bustin, M., Lehn, D.A. and Landsman, D.
Structural features of the HMG chromosomal proteins and their genes (1049) 231

Cedar, H. and Razin, A.
DNA methylation and development (1049) 1
Chan, Y.-L. and Wool, I.G.
The primary structure of rat ribosomal protein S20 (1049) 93
Choe, S.M., see Turley, R.B. (1049) 223
Coleman, D., see Morrison, J. (1049) 27
Cox, G.S., Phares, C.K. and Schmidt, R.A.
Molecular characterization of the *Spirometra mansonoides* genome: renaturation kinetics, methylation, and hybridization to human cDNA probes (1049) 134

Debnath, D., see Nandi, R. (1049) 339
Desgrès, J., see Keith, G. (1049) 255
DiCorleto, P.E., see Shen, X.-Y. (1049) 145

Endo, H., see Ikejiri, K. (1049) 350

Gay, N.J.
Spatial and temporal distribution of a *Drosophila melanogaster* embryonic variable nuclear antigen (1049) 249
Gedamu, L., see Olsson, P.-E. (1049) 78
Gedamu, L., see Zafarullah, M. (1049) 318
Gehrke, C.W., see Keith, G. (1049) 255
Goldstein, E.S., see Vincent III, W.S. (1049) 59
Goto, Y., see Amuro, N. (1049) 216
Gray, Jr., H.B., see Zhou, X.-g. (1049) 83
Grienenberger, J.-M., see Sangaré, A. (1049) 96

Hamilton, T.A., see Shen, X.-Y. (1049) 145
Harrington, R.E., see Waterborg, J.H. (1049) 324
Hashimoto, T., see Hirose, A. (1049) 346
Hélène, C. and Toulmé, J.-J.
Specific regulation of gene expression by antisense, sense and antigene nucleic acids (1049) 99
Heyman, T., see Keith, G. (1049) 255
Himeno, S.-i., see Toyoda, H. (1049) 213
Hirose, A., Kamijo, K., Osumi, T., Hashimoto, T. and Mizugaki, M.
cDNA cloning of rat liver 2,4-dienoyl-CoA reductase (1049) 346
Hirose, J., see Yamada, H. (1049) 298
Holden, J.A., Rolfson, D.H. and Low, R.L.
DNA topoisomerase I from human placenta (1049) 303
Holten, D., see Kim, M.-H. (1049) 177
Hyllner, S.J., see Olsson, P.-E. (1049) 78

Ikejiri, K., Ueno, T., Matsuguchi, T., Takahashi, K., Endo, H. and Yamamoto, M.
The primary structure of the rat insulin-like growth factor II gene region (1049) 350
Imura, N., see Toyoda, H. (1049) 213
Inagaki, K., see Yamada, H. (1049) 298
Ishimura-Oka, K., see Oka, K. (1049) 21

Jackson, E.A., see Morrison, J. (1049) 27

Kamijo, K., see Hirose, A. (1049) 346
Kato, T., see Yamada, H. (1049) 298
Kawakami, K., see Yagawa, Y. (1049) 286
Keith, G., Desgrès, J., Pochart, P., Heyman, T., Kuo, K.C. and Gehrke, C.W.
Eukaryotic $tRNAs^{Pro}$: primary structure of the anticodon loop; presence of 5-carbamoylmethyluridine or inosine as the first nucleoside of the anticodon (1049) 255
Kidani, Y., see Yamada, H. (1049) 298
Kim, M.-H., Nakayama, R. and Holten, D.
Quantitation of glucose-6-phosphate dehydrogenase mRNA by solution hybridization: correlation with rates of synthesis (1049) 177
Kim, O., see Lee, P.-C. (1049) 244
Kisilevsky, R., see Lyon, A.W. (1049) 158
Kousvelari, E., see Mertz, P.M. (1049) 272
Kratz, B., see Lee, P.-C. (1049) 244
Krek, W., see Maridor, G. (1049) 126
Kumagai, I., see Taguchi, S. (1049) 278
Kuo, K.C., see Keith, G. (1049) 255
Kvam, E., Stokke, T. and Moan, J.
The lengths of DNA fragments light-induced in the presence of a photosensitizer localized at the nuclear membrane of human cells (1049) 33

Landsman, D., see Bustin, M. (1049) 231
Lane, A.N.
The determination of the conformational properties of nucleic acids in solution from NMR data (1049) 189
Lane, A.N.
Solution conformations of $d(CGTACG)_2$ determined from NMR experiments (1049) 205
Lee, P.-C., Kratz, B., Kim, O., Moshier, J. and Lin, C.-H.
Expression of the amylase gene in the rat exocrine pancreas during postnatal development: effect of dexamethasone (1049) 244
Lehn, D.A., see Bustin, M. (1049) 231
Leu, S., White, D. and Michaels, A.
Cell cycle-dependent transcriptional and post-transcriptional regulation of chloroplast gene expression in *Chlamydomonas reinhardtii* (1049) 311
Lin, C.-H., see Lee, P.-C. (1049) 244
Lindsey, G.G. and Thompson, P.
Preparation of fluorescently labelled hybrid histone octamers (1049) 9

Low, R.L., see Holden, J.A. (1049) 303
Lyon, A.W. and Kisilevsky, R.
Inhibition of the initiation of hepatic protein synthesis during ethionine mediated ATP depletion in vivo: modification to ribosomal subunits, evidence of impaired ternary complex formation and a subcellular redistribution of eIF-2 alpha (1049) 158

Maiti, M., see Nandi, R. (1049) 339
Mäkelä, J.K., Vuorio, T. and Vuorio, E.
Growth-dependent modulation of type I collagen production and mRNA levels in cultured human skin fibroblasts (1049) 171
Maridor, G., Krek, W. and Nigg, E.A.
Structure and developmental expression of chicken nucleolin and NO38: coordinate expression of two abundant non-ribosomal nucleolar proteins (1049) 126
Masamune, Y., see Tamaru, M. (1049) 331
Mashkova, T.D., see Barciszewska, M.Z. (1049) 343
Matsuguchi, T., see Ikejiri, K. (1049) 350
Mattsson, O., see Palmgren, G. (1049) 293
McHale, A.P., see Morrison, J. (1049) 27
Ménard, L., Thibault, L. and Poirier, G.G.
Reconstitution of an in vitro poly(ADP-ribose) turnover system (1049) 45
Mertz, P.M., Backman, T., Bernards, A. and Kousvelari, E.
Two novel c-*abl* mRNAs are expressed in rat parotid salivary glands during in vivo β-adrenergic receptor stimulation (1049) 272
Meyuhas, O., Baldin, V., Bouche, G. and Amalric, F.
Glucocorticoids repress ribosome biosynthesis in lymphosarcoma cells by affecting gene expression at the level of transcription, posttranscription and translation (1049) 38
Michaels, A., see Leu, S. (1049) 311
Miura, K.-i., see Taguchi, S. (1049) 278
Mizugaki, M., see Hirose, A. (1049) 346
Moan, J., see Kvam, E. (1049) 33
Morrison, J., Jackson, E.A., Bunni, L., Coleman, D. and McHale, A.P.
cDNA cloning and expression of a *Talaromyces emersonii* β-glucosidase determinant in *Escherichia coli* (1049) 27
Moshier, J., see Lee, P.-C. (1049) 244
Murphy, J.J. and Norton, J.D.
Cell-type-specific early response gene expression during plasmacytoid differentiation of human B lymphocytic leukemia cells (1049) 261

Nagano, K., see Yagawa, Y. (1049) 286
Nagao, Y., see Tamaru, M. (1049) 331
Nakanishi, Y., see Tamaru, M. (1049) 331
Nakano, T., see Oka, K. (1049) 21
Nakayama, R., see Kim, M.-H. (1049) 177
Nandi, R., Debnath, D. and Maiti, M.
Interactions of berberine with poly(A) and tRNA (1049) 339
Ni, W., Turley, R.B. and Trelease, R.N.
Characterization of a cDNA encoding cottonseed catalase (1049) 219
Nigg, E.A., see Maridor, G. (1049) 126
Noji, M., see Yamada, H. (1049) 298
Nordlund, I. and Shingler, V.
Nucleotide sequences of the *meta*-cleavage pathway enzymes 2-hydroxymuconic semialdehyde dehydrogenase 2-hydroxymuconic semialdehyde hydrolase from *Pseudomonas* CF600 (1049) 227
Norton, J.D., see Murphy, J.J. (1049) 261

Oka, K., Tkalcevic, G.T., Nakano, T., Tucker, H., Ishimura-Oka, K. and Brown, W.V.
Structure and polymorphic map of human lipoprotein lipase gene (1049) 21
Okazaki, T., see Amuro, N. (1049) 216
Okkels, F.T., see Palmgren, G. (1049) 293
Olsson, P.-E., Hyllner, S.J., Zafarullah, M., Andersson, T. and Gedamu, L.
Differences in metallothionein gene expression in primary cultures of rainbow trout hepatocytes and the RTH-149 cell line (1049) 78
Olsson, P.-E., see Zafarullah, M. (1049) 318
Ono, K.
Inhibitory effects of various 2′, 3′-dideoxynucleoside 5′-triphosphates on the utilization of 2′-deoxynucleoside 5′-triphosphates by terminal deoxynucleotidyltransferase from calf thymus (1049) 15
Osumi, T., see Hirose, A. (1049) 346

Palmgren, G., Mattsson, O. and Okkels, F.T.
Employment of hydrolytic enzymes in the study of the level of DNA methylation (1049) 293
Phares, C.K., see Cox, G.S. (1049) 134
Pochart, P., see Keith, G. (1049) 255
Poirier, G.G., see Ménard, L. (1049) 45

Razin, A., see Cedar, H. (1049) 1
Rolfson, D.H., see Holden, J.A. (1049) 303

Sangaré, A., Weil, J.-H. and Grienenberger, J.-M.
Maize and wheat mitochondrial $tRNA^{Pro}$ coding regions have similar sequences but different organizations (1049) 96
Schmidt, R.A., see Cox, G.S. (1049) 134
Searle, M.S. and Wakelin, L.P.G.
Sequence specific conformation of a DNA decamer containing an adenine tract studied in solution by ^{1}H-NMR spectroscopy (1049) 69
Shen, X.-Y., Hamilton, T.A. and DiCorleto, P.E.
Thrombin-induced expression of the KC gene in cultured aortic endothelial cells. Involvement of proteolytic activity and protein kinase C (1049) 145
Shingler, V., see Nordlund, I. (1049) 227
Stokke, T., see Kvam, E. (1049) 33

Taguchi, S., Kumagai, I. and Miura, K.-i.
Comparison of secretory expression in *Escherichia coli* and *Streptomyces* of *Streptomyces* subtilisin inhibitor (SSI) gene (1049) 278
Taira, M., see Tamaru, M. (1049) 331
Takahashi, K., see Ikejiri, K. (1049) 350
Tamaru, M., Nagao, Y., Taira, M., Tatibana, M., Masamune, Y. and Nakanishi, Y.
Selective activation of testis-specific genes in cultured rat spermatogenic cells (1049) 331
Tatibana, M., see Tamaru, M. (1049) 331
Thibault, L., see Ménard, L. (1049) 45
Thompson, P., see Lindsey, G.G. (1049) 9
Tkalcevic, G.T., see Oka, K. (1049) 21
Toulmé, J.-J., see Hélène, C. (1049) 99
Toyoda, H., Himeno, S.-i. and Imura, N.
Regulation of glutathione peroxidase mRNA level by dietary selenium manipulation (1049) 213
Trask, R.V. and Billadello, J.J.
Tissue-specific distribution and developmental regulation of M and B creatine kinase mRNAs (1049) 182
Trelease, R.N., see Ni, W. (1049) 219
Trelease, R.N., see Turley, R.B. (1049) 223
Tucker, H., see Oka, K. (1049) 21
Turley, R.B., Choe, S.M. and Trelease, R.N.
Characterization of a cDNA clone encoding the complete amino acid sequence of cotton isocitrate lyase (1049) 223
Turley, R.B., see Ni, W. (1049) 219

Ueno, T., see Ikejiri, K. (1049) 350

Vincent III, W.S., Goldstein, E.S. and Allen, S.A.
Sequence and expression of two regulated transcription units during *Drosophila melanogaster* development: *Deb-A* and *Deb-B* (1049) 59
Vitetta, E.S. and Yen, N.
Expression and functional properties of genetically engineered ricin B chain lacking galactose-binding activity (1049) 151
Vuorio, E., see Mäkelä, J.K. (1049) 171
Vuorio, T., see Mäkelä, J.K. (1049) 171

Wakelin, L.P.G., see Searle, M.S. (1049) 69
Waterborg, J.H., Harrington, R.E. and Winicov, I.
Dynamic histone acetylation in alfalfa cells. Butyrate interference with acetate labeling (1049) 324
Weil, J.-H., see Sangaré, A. (1049) 96
White, D., see Leu, S. (1049) 311
Winicov, I., see Waterborg, J.H. (1049) 324
Wool, I.G., see Chan, Y.-L. (1049) 93

Yagawa, Y., Kawakami, K. and Nagano, K.
Cloning and analysis of the 5′-flanking region of rat Na^+/K^+-ATPase α1 subunit gene (1049) 286
Yamada, H., Kato, T., Hirose, J., Inagaki, K., Noji, M. and Kidani, Y.
Antibodies against (1*R*,2*R*)-cyclohexanediamineplatinum(II)-DNA adduct recognize the conformational differences of isomeric analogues of cyclohexanediamine (1049) 298
Yamamoto, M., see Ikejiri, K. (1049) 350
Yen, N., see Vitetta, E.S. (1049) 151

Zafarullah, M., Olsson, P.-E. and Gedamu, L.
Differential regulation of metallothionein genes in rainbow trout fibroblasts, RTG-2 (1049) 318
Zafarullah, M., see Olsson, P.-E. (1049) 78
Zhou, X.-g. and Gray, Jr., H.B.
Mechanism of exonuclease action of BAL 31 nuclease (1049) 83